



USA  
SERVICE OFFICE  
Dometic Corporation  
2320 Industrial Parkway  
Elkhart, IN 46516  
574-294-2511

CANADA  
Dometic Corporation  
46 Zatonski, Unit 3  
Brantford, ON N3T 5L8  
CANADA  
519-720-9578

For Service Center  
Assistance Call:  
800-544-4881

## WeatherPro Hardware Model

**8551(X)01.400(X) Basement**

**8551(X)02.400(X) Standard**

**8551(X)03.400(X) 5th Wheel Basement**


**8551(X)04.400(X) 5th Wheel Standard**

## PARTS LIST

### MODEL

|                |                |
|----------------|----------------|
| 8551101.400(X) | 8551201.400(X) |
| 8551102.400(X) | 8551202.400(X) |
| 8551103.400(X) | 8551203.400(X) |
| 8551104.400(X) | 8551204.400(X) |

### Hardware



| Item No. | Part No.            | 8551101.400(X) | 8551102.400(X) | 8551103.400(X) | 8551104.400(X) | 8551201.400(X) | 8551202.400(X) | 8551203.400(X) | 8551204.400(X) | Description                                                  |
|----------|---------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|--------------------------------------------------------------|
| 1        | -----               | A              | B              | C              | D              | E              | F              | G              | H              | Back Channel (2 req.) See Note 1.                            |
| 2        | 3307879.003         | A              | B              | C              | D              | E              | F              | G              | H              | Screw, 10-12 x .38" # 2 Torx BH Silver (8 req.)              |
| 3        | *3310331.000(X)     | A              | B              | -              | -              | E              | F              | -              | -              | Bracket, Top Mounting, Standard/Basement (2 req.)            |
|          | *3310332.000(X)     | -              | -              | C              | D              | -              | -              | G              | H              | Bracket, Top Mounting, 5th Wheel Standard/Basement (2 req.)  |
| 4        | *3307608.004(X)     | -              | -              | C              | D              | -              | -              | G              | H              | Bracket, Side Mounting, 5th Wheel Standard/Basement (4 req.) |
| 5        | 3109661.011         | A              | B              | C              | D              | E              | F              | G              | H              | Decal, Pinch Point (2 req.)                                  |
| 6        | -----               | A              | B              | C              | D              | E              | F              | G              | H              | Front Channel (2 req.) See Note 1.                           |
| 7        | 3307846.000         | A              | B              | C              | D              | E              | F              | G              | G              | Decal, WeatherPro                                            |
| 8        | 3109714.018         | A              | B              | C              | D              | E              | F              | G              | H              | Decal, Rapid Casting Spin Off                                |
| 9        | *3307681.001(X)     | A              | -              | C              | -              | E              | -              | G              | -              | Arm Asm., Top                                                |
|          | *3307689.004(X)     | -              | B              | -              | D              | -              | F              | -              | H              | Arm Asm., Top                                                |
| 10       | *3307745.004(X)     | A              | -              | C              | -              | E              | -              | G              | -              | Arm Asm., Bottom RH                                          |
|          | *3307745.012(X)     | -              | B              | -              | D              | -              | F              | -              | H              | Arm Asm., Bottom RH                                          |
| 11       | *3310384.100(X)     | A              | -              | C              | -              | E              | -              | G              | -              | Kit, Spring Arm Asm., Bottom LH                              |
|          | *3310384.200(X)     | -              | B              | -              | D              | -              | F              | -              | G              | Kit, Spring Arm Asm., Bottom LH                              |
| 12       | *3108391.107(X)     | A              | B              | -              | -              | E              | F              | -              | -              | Kit, Hardware                                                |
|          | *3108391.115(X)     | -              | -              | C              | D              | -              | -              | G              | H              | Kit, Hardware                                                |
|          | A1 3104499.094      | A              | B              | -              | -              | E              | F              | -              | -              | Screw, #14-10 x 2.75" Blk. (4 req.)                          |
|          | A2 3104499.003      | -              | -              | C              | D              | -              | -              | G              | H              | Screw, S 14-10 x 1.50" HHW SS (4 req.)                       |
|          | A3 3104499.086      | A              | B              | C              | D              | E              | F              | G              | H              | Screw, #14-10 x 2" Blk. (4 req.)                             |
|          | A4 310359.013       | A              | B              | C              | D              | E              | F              | G              | H              | Screw, #10-16 x .75" Blk. (4 req.)                           |
|          | A5 *3108404.009(X)  | A              | B              | -              | -              | E              | F              | -              | -              | Cover, Screw (2 req.)                                        |
|          | A6 310359.012       | A              | B              | C              | D              | E              | F              | G              | H              | Screw, #6-20 x .44" (2 req.)                                 |
|          | A7 3104176.205      | A              | B              | C              | D              | E              | F              | G              | H              | Screw, Hex 1/4"-20 x .75" (2 req.)                           |
|          | A8 3101746.000      | A              | B              | C              | D              | E              | F              | G              | H              | Washer, Split Lock .25 (2 req.)                              |
|          | A9 113008P          | A              | B              | C              | D              | E              | F              | G              | H              | Rivet, Oscar 3/16" x 1" (4 req.)                             |
|          | A10 *3109752.000(X) | A              | B              | C              | D              | E              | F              | G              | H              | Cover asm., Bottom Brkt. (2 req.)                            |
|          | D1 3109298.012      | A              | B              | C              | D              | E              | F              | G              | H              | Decal                                                        |
|          | A11 *3307943.005(X) | A              | B              | C              | D              | E              | F              | G              | H              | Spacer (2 req.)                                              |
|          | A12 3104176.213     | A              | B              | C              | D              | E              | F              | G              | H              | Screw, Hex Cap 1/4"-20 x 1.25 SS                             |
|          | A13 317534.006      | A              | B              | C              | D              | E              | F              | G              | H              | Nut, lock W/Insert 1/4"-20 SS                                |
|          | A14 309513.045      | A              | B              | C              | D              | E              | F              | G              | H              | Washer, Nylon                                                |
| 13       | 3109987.002         | A              | B              | C              | D              | E              | F              | G              | H              | Kit, Auxillary Operational                                   |
|          | B1 3109609.002      | A              | B              | C              | D              | E              | F              | G              | H              | Harness, Control Box, Two Wire, L = 10'                      |
|          | B2 3109799.051      | A              | B              | C              | D              | E              | F              | G              | H              | Strap Asm., Pull                                             |
| 14       | *3309719.007(X)     | A              | -              | C              | -              | E              | -              | G              | -              | Wire Cover Assembly, Basement                                |
|          | *3309719.019(X)     | -              | B              | -              | D              | -              | F              | -              | H              | Wire Cover Assembly, Standard                                |
|          | C1 *3309428.013(X)  | A              | -              | C              | -              | E              | -              | G              | -              | Wire Cover, Front Channel, Basement, L = 53.50"              |
|          | *3309428.005(X)     | -              | B              | -              | D              | -              | F              | -              | H              | Wire Cover, Front Channel, Standard, L = 58.00"              |
|          | C2 *3309429.011(X)  | A              | -              | C              | -              | E              | -              | G              | -              | Wire Cover, Back Channel, Basement, L = 21"                  |
|          | *3309429.003(X)     | -              | B              | -              | D              | -              | F              | -              | H              | Wire Cover, Back Channel, Standard, L = 27"                  |
|          | C3 *3309427.015(X)  | A              | -              | C              | -              | E              | -              | G              | -              | Wire Cover, Bottom Arm, Basement, L = 20"                    |
|          | *3309427.007(X)     | -              | B              | -              | D              | -              | F              | -              | H              | Wire Cover, Bottom Arm, Standard, L = 25"                    |
|          | C4 *3307803.001(X)  | A              | B              | C              | D              | E              | F              | G              | H              | Cover, Front Channel (2 req.)                                |

\*Replace (X) With Color Code  
From Color Code  
Chart Below

| Color Code<br>Chart   |
|-----------------------|
| B = Polar White       |
| H = Mende Polar White |
| R = Champagne         |
| S = Satin             |
| U = Black             |
| V = Gold              |

**Note 1- Front And Back Channels are not available as  
separate items. Order complete hardware sets.**

|          |                 | 8551101.400(X) | 8551102.400(X) | 8551103.400(X) | 8551104.400(X) | 8551201.400(X) | 8551202.400(X) | 8551203.400(X) | 8551204.400(X) |                                         |
|----------|-----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|-----------------------------------------|
| Item No. | Part No.        | A              | B              | C              | D              | E              | F              | G              | H              | Description                             |
| 15       | 3308202.005     | A              | B              | C              | D              | E              | F              | G              | H              | Washer, Nylon .540" OD/.405 ID (4 req.) |
| 16       | 3307762.116     | A              | B              | C              | D              | E              | F              | G              | H              | Bushing, Split (4 req.)                 |
| 17       | 3307737.001     | A              | B              | C              | D              | E              | F              | G              | H              | Pin, .375" x 2.93" (4 req.)             |
| 18       | 3307737.019     | A              | B              | C              | D              | E              | F              | G              | H              | Pin, .375" x 2.68" (4 req.)             |
| 19       | 3307737.027     | A              | B              | C              | D              | E              | F              | G              | H              | Pin, .375" x 2.50" (2 req.)             |
| 20       | 3307738.017     | A              | B              | C              | D              | E              | F              | G              | H              | Ring, Ext Self-Lock SS (10 req.)        |
| 21       | 3307762.124     | A              | B              | C              | D              | E              | F              | G              | H              | Bushing, Split (4 req.)                 |
| 22       | 3307762.132     | A              | B              | C              | D              | E              | F              | G              | H              | Bushing, Split (4 req.)                 |
| 23       | 3307762.140     | A              | B              | C              | D              | E              | F              | G              | H              | Bushing, Split (4 req.)                 |
| 24       | 3109702.021     | A              | —              | C              | —              | E              | —              | G              | —              | Harness, Gear Motor, Basement, L = 115" |
|          | 3109702.039     | —              | B              | —              | D              | —              | F              | —              | H              | Harness, Gear Motor, Standard, L = 127" |
| 25       | 3309368.011     | A              | —              | C              | —              | E              | —              | G              | —              | Harness, Sensor, Basement, L = 117"     |
|          | 3309368.029     | —              | B              | —              | D              | —              | F              | —              | H              | Harness, Sensor, Standard, L = 129"     |
| 26       | 3310555.000     | A              | —              | C              | —              | E              | —              | G              | —              | Strut, Gas, Basement (2 req.)           |
|          | 3108392.139     | —              | B              | —              | D              | —              | F              | —              | H              | Strut, Gas, Standard (2 req.)           |
| 27       | 3104926.013     | A              | B              | C              | D              | E              | F              | G              | H              | Pull Rod                                |
| 28       | *3109141.006(X) | A              | B              | C              | E              | E              | F              | G              | H              | Bracket, Bottom                         |

## Customer Option-Not Required

3108710.199

D1 3109730.006

D2 3108708.094

D3 3109506.109

Kit, Stand Off Bracket

Standoff, Top (2 req.)

Pad (6 req.)

Standoff, Bottom (2 req.)